

AUTHOR INDEX

- Anders, R.L., 213
- Badger, T.A., 173
- Baier, M., 259
- Black, B.S., 163
- Bland, R.S., 259
- Boyd, M.R., 64, 134, 142
- Brown, E.J., 73
- Burke, W.J., 249
- Chan, S., 39, 98
- Curtis, S., 73
- Dahl, D., 222
- Dehn, D., 222
- Dennis, B.P., 3
- DeShay, E., 259
- Doheny, M.O., 150
- Engebretson, J., 183
- Frank, K., 222
- Gagan, M.J., 173
- German, P.S., 163
- Gilje, F., 296
- Han, H.-R., 19
- Hebert, P., 222
- Howard, M., 73
- Jacobs, P., 98
- Jemmott, L.S., 73
- Jones, S., 107, 211
- Kaas, M.J., 222
- Kennedy, M.G., 266
- Klose, P., 296
- Krauss, J.B., 1, 49
- Lafuze, J.E., 235
- Lasar, K., 259
- Logsdon, M.C., 244
- Lutz, W.J., 117
- Mackenzie, A., 98
- Mackey, M.C., 134, 142
- Mahoney, J.S., 183
- Markley, J., 222
- Martolf, D.S., 150
- McCabe, S., 109
- McNiece, C., 173
- Menzies, V., 199
- Minarik, P.A., 208
- Mohit, D., 127
- Mohr, B.D., 235, 285
- Mohr, W.K., 235, 285
- Neese, J.B., 3
- Nehls, N., 12
- O'Connor, F.W., 266
- Oberleitner, L.L., 93
- Outlaw, F.H., 73
- Owens, K., 259
- Penrod, J., 163
- Perraud, S., 276
- Peterson, K., 259
- Rabins, P.V., 163
- Robbins, B., 163
- Robinson, K., 244
- Robinson, M., 259
- Rye, R., 163
- Schepp, K.G., 266
- Sedlak, C.A., 150
- Symes, L., 30
- Thornton, K.A., 191
- Tlasek-Wolfson, M., 163
- To, M.Y.F., 39
- Torres, S., 19
- Tuck, L., 191
- Walker, B.L., 47, 105, 159, 161, 207, 254, 257, 300
- Warren, B.J., 117
- White, J.H., 81
- Wilson, G., 73
- Yeaworth, R.C., 249
- Zust, B.L., 51

SUBJECT INDEX

- Abuse
 - psychological distress in abused women, White and Hispanic, 19-29
 - substance, *see* Substance abuse
- Adolescents
 - African American grandmothers' caregiver concerns about rearing grandchildren, 73-80
- Advanced practice nursing
 - making the connection between research and practice (*Editorial*), 161-162
- African Americans
 - elderly
 - promoting the mental health of, 191-198
 - recruitment/retention into community-based research, 3-11, 208 (*Letter*)
 - grandmothers' concerns about rearing adolescent grandchildren, 73-80
- Aggressive behaviors
 - muscle relaxation training for mentally handicapped patients, 39-46
- Aging, *see* Elderly
- Alcohol abuse, *see also* Substance abuse
 - rural alcoholic women, alienation from self and others, 134-141
 - rural women's experiences of becoming alcohol dependent, 142-149
- Alienation
 - from self and others, in rural alcoholic women, 134-141
- Alliance, therapeutic
 - nurse-patient relationship and (*Editorial*), 49-50
- Anorexia nervosa
 - history of, and symptom development of bulimia nervosa, 81-92
- Anthropology
 - Interface of Anthropology and Nursing Model, 183-190
- Archives of Psychiatric Nursing*
 - millennium milestones (*Editorial*), 1-2
- Asphyxia
 - due to use of restraints, 289
- Aspiration
 - death due to, related to use of restraints, 289
- Assault, sexual
 - arriving at readiness to recover emotionally after, 30-38
- Battered women, *see also* Abuse
 - cognitive therapy for depression in rural, 51-63
- Biopsychosocial nursing care
 - depression and burn wounds, 199-206
- Blunt trauma, to chest
 - injury and death due to restraint use, 290
- Borderline personality disorder
 - case management for, 12-18
- Bulimia nervosa
 - symptom development in, and history of anorexia nervosa, 81-92
- Burn wounds
 - and depression, 199-206
- Care path
 - for inpatient treatment of schizophrenia, 213-221
- Caregivers
 - African American grandmothers' concerns about rearing adolescent grandchildren, 73-80
 - helping women caregivers obtain support, 244-248
- Case management
 - for borderline personality disorder, 12-18
 - for chronic schizophrenia, cost-effectiveness of, 98-104
- Catecholamine rush
 - injury and death due to use of restraints, 290
- Children
 - injury and death related to restraint use in, 286-287
- Clinical nurse specialist (CNS), psychiatric
 - collaborative prescribing agreements, with psychiatrists, 222-234
 - in psychiatric home care and family therapy, 127-133
- Clinical practice
 - making the connection between research and (*Editorial*), 161-162
- Codependency
 - and related health variables in women, 150-158
- Cognitive therapy
 - effect on depression in rural battered women, 51-63
- Collaboration
 - prescribing agreements, between clinical nurse specialists and psychiatrists, 222-234
- Community care
 - vs. case management for chronic schizophrenia, 98-104
- Community health analysis
 - of depression, service need, and use, 173-182
- Community-based research
 - recruitment/retention of elderly African Americans into, 3-11, 208 (*Letter*)
- Competencies
 - critical clinical, identification of for psychiatric nursing, 113-114
- Computers
 - psychiatric-mental health nursing on the Web (*Editorial*), 211-212
- Coping self-efficacy
 - development of scale for in depressed patients, 276-284
- Cost-effectiveness analysis
 - of case management for patients with chronic schizophrenia, 98-104
- Culturally competent care
 - Interface of Anthropology and Nursing model for, 183-190
- Death
 - mechanisms of related to restraint use, 285-295
- Decision making
 - by psychiatric nurses in the U.S., 296-299
- Dementia
 - frontotemporal, 249-253
 - clinical characteristics, 250-251
 - diagnosis, 251
 - illustrative case, 252-253
 - management, 251-252
 - Pick's disease, 249-250

- Depression
 - and burn wounds, 199-206
 - development of depression coping self-efficacy scale, 276-284
 - effect of cognitive therapy on, in rural battered women, 51-63
 - relationship between codependency and, 150-158
 - service need and use in vulnerable populations, 173-182
- Distress, psychological
 - in non-Hispanic White and Hispanic abused women, 19-29
- Diversity, ethnic
 - Interface of Anthropology and Nursing model, 183-190
 - psychological distress in White and Hispanic abused women, 19-29
- Doctoral students, in psychiatric nursing
 - connecting the research and practice worlds (*Editorial*), 161-162
- Domestic violence, *see* Violence
- Drug abuse, *see* Substance abuse
- Eating disorders
 - symptom development in bulimia nervosa, with history of anorexia nervosa, 81-92
- Education
 - NAMI Provider Education Program, 235-243
- Elderly
 - African Americans
 - promoting the mental health of, 191-198
 - recruitment/retention into community-based research, 3-11, 208 (*Letter*)
 - with mental illness in public housing, assessment/treatment program for, 163-172
- Emotional recovery
 - arriving at readiness for, after sexual assault, 30-38
- Ethnic diversity
 - psychological distress in abused White and Hispanic women, 19-29
- Families, of mentally ill persons
 - NAMI Provider Education Program to change caregivers beliefs on role of, 235-243
 - background, 236-237
 - family consultation model of care, 237
 - hypothesized disconnect between stages of family and consumer, 238
 - reconceptualizing dysfunction, 238
 - structure of program, 239-240
 - theoretical basis, 238-239
- Family therapy
 - by psychiatric clinical nurse specialists, 127-133
- Frontotemporal dementia
 - clinical characteristics, 250-251
 - diagnosis, 251
 - illustrative case, 252-253
 - management, 251-252
 - Pick's disease, 249-250
- Functional ability
 - related to codependency in women, 150-158
- Geriatrics, *see* Elderly
- Grandchildren
 - adolescent, concerns of African American grandmothers caring for, 73-80
- Grandmothers
 - African American, concerns about rearing adolescent grandchildren, 73-80
- Hispanic women
 - abused, psychological distress in, 19-29
- Home care, psychiatric
 - by psychiatric clinical nurse specialists, 127-133
- Hospitalization
 - assessment of inpatient treatment for schizophrenia, 213-221
- Hyperpyrexia
 - injury and death related to restraint, 290-291
- Illness prevention behaviors
 - related to codependency in women, 150-158
- Injury
 - mechanisms of related to restraint use, 285-295
- Inpatient treatment
 - for schizophrenia, assessment of, 213-221
- Insight
 - in schizophrenia
 - relationship to clinical factors, 259-265
 - symptom self-management and relapse, 266-275
- Internet
 - psychiatric-mental health nursing on the Web, 211-212
- Kleinman, A.
 - explanatory models of, in Interface of Anthropology and Nursing model, 184-185
- Lego, Suzie
 - protecting the legacy of (*Editorial*), 49-50
- Medical Matrix web site, 211
- Medscape web site, 211-212
- Mental health
 - of elderly African Americans, promoting of, 191-198
 - Surgeon General's report on (*Editorial*), 107-108
- Mental Health Net web site, 211
- Mentally handicapped patients
 - muscle relaxation training for reducing aggressive behaviors in, 39-46
- Minority(ies)
 - African Americans
 - recruitment/retention of elders in research studies, 3-11
 - Hispanic
 - psychological distress in abused women, 19-29
- Muscarinic receptor antagonism
 - injury and death related to restraint use, 290-291
- Muscle relaxation training
 - for reducing aggressive behaviors in mentally handicapped patients, 39-46
- National Alliance for the Mentally Ill (NAMI)
 - provider education program for opening caregiver's minds, 235-243
 - background, 236-237

- family consultation model of care, 237
- hypothesized disconnect between stages of family and consumer, 238
- reconceptualizing dysfunction, 238
- structure of program, 239-240
- theoretical basis, 238-239
- web site of, 212
- Nurse practitioners, psychiatric
 - and crisis in psychiatric nursing, 109, 111
- Nurse-patient relationship
 - and therapeutic alliance (*Editorial*), 49-50
- Nurses, psychiatric
 - decision making by, 296-299
- Nursing, *see* Psychiatric nursing

- PATCH program
 - for elders with mental illness in public housing, 163-172
- Patient restriction
 - necessity for alternatives to traditional, 93-97
- Peplau, Hildegard
 - interpersonal theory of, in *Interface of Anthropology and Nursing model*, 185-186
 - protecting the legacy of (*Editorial*), 49-50
- Perceived health
 - related to codependency in women, 150-158
- Pick's disease, 249-250
- Practice model
 - consumer-oriented, for psychiatric mental health nursing, 117-126
 - for home care/family therapy by psychiatric clinical nurse specialist, 127-133
- Prescribing agreements, collaborative
 - between clinical nurse specialists and psychiatrists, 222-234
- Psychiatric clinical nurse specialist (CNS)
 - collaborative prescribing agreements with psychiatrists, 222-234
 - psychiatric home care and family therapy by, 127-133
- Psychiatric mental health nursing
 - consumer-oriented practice model for, 117-126
 - on the Web (*Editorial*), 211-212
- Psychiatric nursing
 - decision making by U.S. psychiatric nurses, 296-299
 - Interface of Anthropology and Nursing model* in, 183-190
 - reframing the profession, 109-116
 - bringing nursing into the 21st century, 111-115
 - explaining the crisis, 111
 - identifying the crisis, 109-111
- Psychiatric patient restriction
 - necessity of alternatives to, 93-97
- Psychiatrists
 - collaborative prescribing agreements with clinical nurse specialists, 222-234
- Psychological distress
 - in non-Hispanic White and Hispanic women, 19-29
- Psychosocial problems
 - alienation from self and others, in rural alcoholic women, 134-141
- Psychotropic medications
 - restraint with, injury and death related to, 290-291

- Public housing
 - assessment/treatment program for elders with mental illness in, 163-172

- Quality of life
 - related to codependency in women, 150-158

- Readiness
 - to recover emotionally after sexual assault, 30-38
- Recovery and monitoring model
 - for psychiatric mental health nursing, 117-126
- Recruitment, for research studies
 - of African American elders, 2-11
- Relapse
 - and symptom self-management in schizophrenia, 266-275
- Research
 - agenda for the next century, 115
 - community-based, recruitment/retention of African American elderly into, 3-11, 208 (*Letter*)
 - making the connection between research and practice (*Editorial*), 161-162
- Restraint, patient
 - aversiveness of, 93-97
 - mechanisms of injury and death proximal to use of, 285-295
- Restriction, psychiatric patient
 - necessity for alternatives to traditional, 93-97
- Retention, of research subjects
 - African American elders, 3-11
- Rhabdomyolysis
 - injury and death related to restraint, 291
- Rural areas
 - alcoholic women in, alienation from self and others, 134-141
 - cognitive therapy for depression in battered women in, 51-63
 - predicting substance abuse and comorbidity in women in, 64-72
 - women's experiences of becoming alcohol dependent, 142-149

- Schizophrenia
 - assessment of inpatient treatment of, 213-221
 - cost-effectiveness of case management for chronic, 98-104
 - insight and clinical factors, 259-265
 - symptom self-management and relapse in, 266-276
- Seclusion, patient
 - aversiveness of, 93-97
- Self
 - alienation from, in rural alcoholic women, 134-141
- Self-efficacy
 - depression coping, development of scale for, 276-284
- Self-management, of symptoms
 - and relapse in schizophrenia, 266-275
- SERPN News, 47, 105, 159, 207, 254, 300
- Sexual assault
 - arriving at readiness to recover emotionally after, 30-38
- Social support
 - helping women caregivers obtain, 244-248
 - barriers to, 246-247
 - characteristics of, 245-246
 - recommendations, 247

- Substance abuse
 alienation from self and others, in rural alcoholic women, 134-141
 and comorbidity, prediction of in rural women, 64-72
Surgeon General's report
 on mental health (*Editorial*), 107-108
Symptom self-management
 and relapse in schizophrenia, 266-275
- Therapeutic alliance
 nurse-patient relationship and (*Editorial*), 49-50
- Trauma
 mechanisms of injury and death related to restraint use, 285-295
- Violence
 cognitive therapy for depression in rural battered women, 51-63
 psychological distress in abused women, 19-29
 sexual assault, arriving at readiness to recover after, 30-38
- Vulnerable populations
 depression, service need, and use in, 173-182
- Web pages
 on psychiatric mental health nursing (*Editorial*), 211-212
- Women
 abused non-Hispanic White and Hispanic, psychological distress in, 19-29
 African American grandmothers' concerns about rearing adolescent grandchildren, 73-80
 arriving at readiness to recover after sexual assault, 30-38
 bulimia nervosa symptom development, and history of anorexia nervosa in, 81-92
 codependency and related health variables, 150-158
 helping women caregivers obtain support, 244-248
 in rural settings
 alcoholic, alienation from self and others, 134-141
 battered, cognitive therapy for depression in, 51-63
 experiences of becoming alcohol dependent, 142-149
 predicting substance abuse and comorbidity in, 64-72